

## INDEX OF AUTHORS

### VOLUME 71 (EP), 1988

(The numbers followed by P refer to abstracts from Society Proceedings)

Aminoff, M.J., see Shih, P.-Y., 319  
Aneja, I.S., see Mustafa, K.Y., 133  
Arar, I., see Mustafa, K.Y., 133

Barajas, J.J., see Martin, L., 375  
Bodis-Wollner, I., see Glover, A., 461  
Branston, N.M., see Ladds, A., 233  
Branston, N.M., see Momma, F., 304  
Brown, E.G., see Karmel, B.Z., 429  
Brunko, E., see Zegers de Beyl, D., 17  
Bussone, G., see Scaoli, V., 153

Cedzich, C., Schramm, J., Mengedoht, C.F. and Fahlbusch, R., Factors that limit the use of flash visual evoked potentials for surgical monitoring, 142  
Chan, Y.W., Woo, E.K.W., Hammond, S.R., Yiannikas, C. and McLeod, J.G., The interaction between sex and click polarity in brain-stem auditory potentials evoked from control subjects of Oriental and Caucasian origin, 77  
Chiarenza, G.A., D'Ambrosio, G.M. and Guareschi Cazzullo, A., Sex and ear differences of brain-stem acoustic evoked potentials in a sample of normal full-term newborns. Normative study, 357  
Church, M.W., see Gritzke, R., 389  
Costello, J.A., see Stapells, D.R., 289  
Cracco, J.B., see Pelosi, L., 422  
Cracco, R.Q., see Pelosi, L., 422

Daldry, S.J., see Pitt, M.C., 150  
D'Ambrosio, G.M., see Chiarenza, G.A., 357  
Deiber, M.P., Ibañez, V., Fischer, C., Perrin, F. and Mauguière, F., Sequential mapping favours the hypothesis of distinct generators for Na and Pa middle latency auditory evoked potentials, 187  
Delberghe, X., see Zegers de Beyl, D., 17  
Deuschl, G., see Ebner, A., 170  
Dimitrijevic, M.R., see Lehmkuhl, L.D., 161  
Drasdo, N. and Furlong, P., Coordinate systems for evoked potential topography, 469  
D'Souza, B.J., see Kaplan, P.W., 266  
Ducati, A., Fava, E. and Motti, E.D.F., Neuronal generators of the visual evoked potentials: intracerebral recording in awake humans, 89

Durrant, J.D. and Furman, J.M.R., Long-latency rotational evoked potentials in subjects with and without bilateral vestibular loss, 251

Ebner, A. and Deuschl, G., Frontal and parietal components of enhanced somatosensory evoked potentials: a comparison between pathological and pharmacologically induced conditions, 170  
Ellison, G.W., see Nuwer, M.R., 33  
Erwin, C.W., see Kaplan, P.W., 266

Fagan, E.R., see Taylor, M.J., 323  
Fahlbusch, R., see Cedzich, C., 142  
Fava, E., see Ducati, A., 89  
Favale, E., see Leandri, M., 114, 415  
Fein, G., see Turetsky, B.I., 310  
Fernandez, R., see Martin, L., 375  
Fischer, C., see Deiber, M.P., 187  
Fleck, K.M. and Polich, J., P300 and the menstrual cycle, 157  
Fledelius, H.C., see Petre, J.E., 146  
Ford, J.M., see Pfefferbaum, A., 55  
Fortgens, C., see Van Woerkom, T.C.A.M., 443  
Fuchigami, Y., see Kameyama, S., 348  
Furlong, P., see Drasdo, N., 469  
Furman, J.M.R., see Durrant, J.D., 251

Galambos, R., see Stapells, D.R., 289  
Garcia Larrea, L. and Mauguière, F., Latency and amplitude abnormalities of the scalp far-field P14 to median nerve stimulation in multiple sclerosis. A SEP study of 122 patients recorded with a non-cephalic reference montage, 180  
Gardner, J.M., see Karmel, B.Z., 429  
Ghilardi, M.F., see Glover, A., 461  
Giesser, B.S., see Novak, G.P., 1  
Glover, A., Ghilardi, M.F., Bodis-Wollner, I. and Onofri, M., Alterations in event-related potentials (ERPs) of MPTP-treated monkeys, 461  
Goitein, K., see Sohmer, H., 382  
Goodin, D.S., see Shih, P.-Y., 319  
Greisen, G., see Pryds, O., 257  
Gritzke, R. and Church, M.W., Effects of cocaine on the brain-stem auditory evoked potential in the Long-Evans rat, 389  
Guareschi Cazzullo, A., see Chiarenza, G.A., 357

Halonen, J.-P., Jones, S. and Shawkat, F., Contribution of cutaneous and muscle afferent fibres to cortical SEPs following median and radial nerve stimulation in man, 331

Hammond, S.R., see Chan, Y.W., 77

Hari, R., Joutsniemi, S.-L. and Sarvas, J., Spatial resolution of neuromagnetic records: theoretical calculations in a spherical model, 64

Hashimoto, M., see Tsuji, S., 273

Hassan, N.F., see Pelosi, L., 422

Helgason, C.M., see Hughes, J.R., 367

Herbaut, A.G., see Zegers de Beyl, D., 17

Hughes, J.R., Helgason, C.M. and Wilbur, A., Neuroanatomic correlations with the late waves of the brain-stem auditory evoked potential, 367

Hummel, C., see Kobal, G., 241

Hunt, M., see Picton, T., 212

Ibañez, V., see Deiber, M.P., 187

Ivanovic, L., see Towle, V.L., 336

Iwamoto, K., see Iwayama, K., 125

Iwayama, K., Mori, K., Iwamoto, K., Yamauchi, T. and Masago, M., Origin of frontal N15 component of somatosensory evoked potential in man, 125

Jacobson, G.P. and Tew, J.M., The origin of the scalp recorded P14 following electrical stimulation of the median nerve: intraoperative observations, 73

Jannetta, P.J., see Møller, A.R., 198

Jones, S., see Halonen, J.-P., 331

Joutsniemi, S.-L., see Hari, R., 64

Kadoya, C., see Tsuji, S., 280

Kadoya, C., see Urasaki, E., 400

Kameyama, S., Yamada, T., Matsuoka, H., Fuchigami, Y., Nakazumi, Y., Suh, C.-k. and Kimura, J., Stationary potentials after median nerve stimulation: changes with arm position, 348

Kaplan, P.W., Rawal, K., Erwin, C.W., D'Souza, B.J. and Spock, A., Visual and somatosensory evoked potentials in vitamin E deficiency with cystic fibrosis, 266

Karmel, B.Z., Gardner, J.M., Zappulla, R.A., Magnano, C.L. and Brown, E.G., Brain-stem auditory evoked responses as indicators of early brain insult, 429

Kellett, A., see Plourde, G., 405

Khogali, M., see Mustafa, K.Y., 133

Kimura, J., see Kameyama, S., 348

Kobal, G. and Hummel, C., Cerebral chemosensory evoked potentials elicited by chemical stimulation of the human olfactory and respiratory nasal mucosa, 241

Krafczyk, S., see Paulus, W.M., 81

Kraus, N., see Smith, D.I., 296

Kurtzberg, D., see Novak, G.P., 1

Ladds, A., Branston, N.M., Vajda, J., McGillicuddy, J.E. and Symon, L., Changes in somatosensory evoked potentials following an experimental focal ischaemic lesion in thalamus, 233

Laureau, E., Majnemer, A., Rosenblatt, B. and Riley, P., A longitudinal study of short latency somatosensory evoked responses in healthy newborns and infants, 100

Leandri, M., Parodi, C.I. and Favale, E., Early trigeminal evoked potentials in tumours of the base of the skull and trigeminal neuralgia, 114

Leandri, M., Parodi, G.I. and Favale, E., Normative data on scalp responses evoked by infraorbital nerve stimulation, 415

Lehmkuhl, L.D., Dimitrijevic, M.R. and Zidar, J., Lumbo-sacral evoked potentials (LSEPs) and cortical somatosensory evoked potentials (SEPs) in patients with lesions of the conus medullaris and cauda equina, 161

Lovrich, D., Novick, B. and Vaughan, Jr., H.G., Topographic analysis of auditory event-related potentials associated with acoustic and semantic processing, 40

Magnano, C.L., see Karmel, B.Z., 429

Majnemer, A., see Laureau, E., 100

Makeig, S., see Stapells, D.R., 289

Mantle, M.M., see Shih, P.-Y., 319

Martin, L., Barajas, J.J., Fernandez, R. and Torres, E., Auditory event-related potentials in well-characterized groups of children, 375

Maru, J., see Picton, T., 212

Masago, M., see Iwayama, K., 125

Matei, M., see Psatta, D.M., 27

Matsuoka, H., see Kameyama, S., 348

Matsuoka, S., see Urasaki, E., 400

Matsuzaki, H., see Urasaki, E., 400

Mauguière, F., see Deiber, M.P., 187

Mauguière, F., see Garcia Larrea, L., 180

McGillicuddy, J.E., see Ladds, A., 233

McLeod, J.G., see Chan, Y.W., 77

Mengedoht, C.F., see Cedzich, C., 142

Mervaala, E., Pääkkönen, A. and Partanen, J.V., The influence of height, age and gender on the interpretation of median nerve SEPs, 109

Michalewski, H.J., see Patterson, J.V., 450

Momma, F., Sabin, H.I., Branston, N.M. and Symon, L., The effect of experimental ischaemia on the direct cortical response of the motor cortex in primates, 304

Mori, K., see Iwayama, K., 125

Motti, E.D.F., see Ducati, A., 89

Mowrey, R., see Picton, T., 212

Munson, R., see Towle, V.L., 336

Murai, Y., see Tsuji, S., 273, 280

Mustafa, K.Y., Aneja, I.S., Khogali, M., Nasreldin, A. and Arar, I., Effect of hyperthermia on brain auditory evoked potentials in the conscious sheep, 133

Myers, L.W., see Nuwer, M.R., 33

Møller, A.R., Use of zero-phase digital filters to enhance brain-stem auditory evoked potentials (BAEPs), 226

Møller, A.R., Jannetta, P.J. and Sekhar, L.N., Contributions from the auditory nerve to the brain-stem auditory evoked potentials (BAEPs): results of intracranial recording in man, 198

Nakazumi, Y., see Kameyama, S., 348

Nasreldin, A., see Mustafa, K.Y., 133

Novak, G.P., Wiznitzer, M., Kurtzberg, D., Giesser, B.S. and Vaughan, Jr., H.G., The utility of visual evoked potentials using hemifield stimulation and several check sizes in the evaluation of suspected multiple sclerosis, 1

Novick, B., see Lovrich, D., 40

Nuwer, M.R., Packwood, J.W., Ellison, G.W. and Myers, L.W., A parametric scale for BAEP latencies in multiple sclerosis, 33

Ohira, T., see Towle, V.L., 336

Onofri, M., see Glover, A., 461

Packwood, J.W., see Nuwer, M.R., 33

Parodi, C.I., see Leandri, M., 114, 415

Partanen, J.V., see Mervaala, E., 109

Patterson, J.V., Michalewski, H.J. and Starr, A., Latency variability of the components of auditory event-related potentials to infrequent stimuli in aging, Alzheimer-type dementia, and depression, 450

Paulus, W.M., Plendl, H. and Krafczyk, S., Spatial dissociation of early and late colour evoked components, 81

Pelosi, L., Cracco, J.B., Cracco, R.Q. and Hassan, N.F., Comparison of scalp distribution of short latency somatosensory evoked potentials (SSEPs) to stimulation of different nerves in the lower extremity, 422

Perrin, F., see Deiber, M.P., 187

Petrera, J.E., Fledelius, H.C. and Trojaborg, W., Serial pattern evoked potential recording in a case of toxic optic neuropathy due to ethambutol, 146

Pfefferbaum, A. and Ford, J.M., ERPs to stimuli requiring response production and inhibition: effects of age, probability and visual noise, 55

Picton, T., Hunt, M., Mowrey, R., Rodriguez, R. and Maru, J., Evaluation of brain-stem auditory evoked potentials using dynamic time warping, 212

Picton, T., see Plourde, G., 405

Pitt, M.C. and Daldry, S.J., The use of weighted quadratic regression for the study of latencies of the P100 component of the visual evoked potential, 150

Plendl, H., see Paulus, W.M., 81

Plourde, G., Picton, T. and Kellett, A., Interweaving and overlapping of evoked potentials, 405

Polich, J., see Fleck, K.M., 157

Pryds, O., Greisen, G. and Trojaborg, W., Visual evoked potentials in preterm infants during the first hours of life, 257

Psatta, D.M. and Matei, M., Age-dependent amplitude variation of brain-stem auditory evoked potentials, 27

Pääkkönen, A., see Mervaala, E., 109

Rawal, K., see Kaplan, P.W., 266

Raz, J., see Turetsky, B.I., 310

Rezzonico, M., see Scaoli, V., 153

Riley, P., see Laureau, E., 100

Rodriguez, R., see Picton, T., 212

Rompel-Martens, C.M.C., see Van Woerkom, T.C.A.M., 443

Rosenblatt, B., see Laureau, E., 100

Sabin, H.I., see Momma, F., 304

Sarvas, J., see Hari, R., 64

Savoiardo, M., see Scaoli, V., 153

Scaoli, V., Savoiardo, M., Bussone, G. and Rezzonico, M., Brain-stem auditory evoked potentials (BAEPs) and magnetic resonance imaging (MRI) in a case of facial myokymia, 153

Schramm, J., see Cedzich, C., 142

Sekhar, L.N., see Møller, A.R., 198

Shawkat, F., see Halonen, J.-P., 331

Shih, P.-Y., Aminoff, M.J., Goodin, D.S. and Mantle, M.M., Effect of reference point on visual evoked potentials: clinical relevance, 319

Small, M., Visual evoked potentials in a patient with prosopagnosia, 10

Smith, D.I. and Kraus, N., Intracranial and extracranial recordings of the auditory middle latency response, 296

Sohmer, H. and Goitein, K., Auditory brain-stem (ABP) and somatosensory evoked potentials (SEP) in an animal model of a synaptic lesion: elevated plasma barbiturate levels, 382

Spire, J.-P., see Towle, V.L., 336

Spock, A., see Kaplan, P.W., 266

Stapells, D.R., Galambos, R., Costello, J.A. and Makeig, S., Inconsistency of auditory middle latency and steady-state responses in infants, 289

Starr, A., see Patterson, J.V., 450

Suh, C.-k., see Kameyama, S., 348

Symon, L., see Ladds, A., 233

Symon, L., see Momma, F., 304

Taylor, M.J. and Fagan, E.R., SEPs to median nerve stimulation: normative data for paediatrics, 323

Tew, J.M., see Jacobson, G.P., 73

Torres, E., see Martin, L., 375

Towle, V.L., Munson, R., Ohira, T., Ivanovic, L., Witt, J.C. and Spire, J.-P., Three-dimensional human somatosensory evoked potentials, 336

Trojaborg, W., see Petrera, J.E., 146

Trojaborg, W., see Pryds, O., 257

Tsuiji, S., Murai, Y. and Hashimoto, M., Frontal distribution of early cortical somatosensory evoked potentials to median nerve stimulation, 273

Tsuiji, S., Murai, Y. and Kadoya, C., Topography of somatosensory evoked potentials to median nerve stimulation in patients with cerebral lesions, 280

Turetsky, B.I., Raz, J. and Fein, G., Noise and signal power and their effects on evoked potential estimation, 310

Urasaki, E., Wada, S., Kadoya, C., Matsuzaki, H., Yokota, A. and Matsuoka, S., Absence of spinal N13-P13 and normal scalp far-field P14 in a patient with syringomyelia, 400

Vajda, J., see Ladds, A., 233

Van Woerkom, T.C.A.M., Fortgens, C., Rompel-Martens, C.M.C. and Van de Wetering, B.J.M., Auditory event-re-

lated potentials in adult patients with Gilles de la Tourrette's syndrome in the oddball paradigm, 443  
Van de Wetering, B.J.M., see Van Woerkom, T.C.A.M., 443  
Vaughan, Jr., H.G., see Lovrich, D., 40  
Vaughan, Jr., H.G., see Novak, G.P., 1

Wada, S., see Urasaki, E., 400  
Wilbur, A., see Hughes, J.R., 367  
Witt, J.C., see Towle, V.L., 336  
Wiznitzer, M., see Novak, G.P., 1  
Woo, E.K.W., see Chan, Y.W., 77

Yamada, T., see Kameyama, S., 348  
Yamauchi, T., see Iwayama, K., 125  
Yiannikas, C., see Chan, Y.W., 77  
Yokota, A., see Urasaki, E., 400

Zappulla, R.A., see Karmel, B.Z., 429  
Zegers de Beyl, D., Delberghe, X., Herbaut, A.G. and Brunko, E., The somatosensory central conduction time: physiological considerations and normative data, 17  
Zidar, J., see Lehmkuhl, L.D., 161

# INDEX OF SUBJECTS

## VOLUME 71 (EP), 1988

(Abstracts from Society Proceedings are not included)

- Acoustic and semantic processing, 40
- Age
  - AEPs in Alzheimer dementia and depression, 450
  - BAEP amplitude variation, 27
  - ERP to response production and inhibition stimuli, 55
  - influence on SEPs, 109
  - weighted quadratic regression of P100, 150
- Alzheimer's disease, depression and AEPs, 450
- Anosmia
  - cerebral chemosensory evoked potentials, 241
- Auditory brain-stem potentials
  - and cocaine, 389
  - as indicators of early brain insult, 429
  - amplitude variation with age, 27
  - contributions from auditory nerve to BAEP, 198
  - digital filters for enhancing BAEPs, 226
  - dynamic time warping for BAEP evaluation, 212
  - hyperthermia effects, 133
  - in MPTP-treated monkeys, 461
  - interaction of sex and click polarity, 77
  - in synaptic lesion model: barbiturates, 382
  - late wave, 367
  - of newborns, sex and ear differences, 357
  - parametric scale and multiple sclerosis, 33
- Auditory evoked potentials
  - ERPs in children, 375
  - in aging, Alzheimer dementia and depression, 450
  - in Gilles de la Tourette's syndrome, 443
  - intracranial and extracranial recordings of MLR, 296
  - noise and signal power in EP measurement, 310
  - sequential mapping of Na and Pa MLAEPS, 187
  - steady-state responses in infants, 289
- Auditory nerve contributions to BAEP, 198
- Automatic analysis
  - BAEP evaluation using dynamic time warping, 212
- Averaging
  - interweaving and overlapping of EPs, 405
  - noise and signal power in EP measurement, 310
- Axonal propagation
  - in synaptic lesion model: barbiturates, 382
- BAEPs, *see* Auditory brain-stem potentials
- Barbiturates
  - BAEP and SEP in synaptic lesion model, 382
- Book reviews, 474
- Brain-stem and early brain insult, 429
- Cerebral blood flow, *see* Ischaemia
- Cerebral lesions, *see* Lesions
- Cerebrovascular disease
  - AEPs in aging, Alzheimer dementia and depression, 450
  - origin of frontal SEP by median nerve stimulation, 125
  - topography of SEPs and cerebral lesions, 280
- Chemosensory evoked potentials, 241
- Children
  - auditory ERP, 375
  - auditory steady-state responses, 289
  - norms for median nerve SEPs, 323
  - SEPs in healthy newborns and infants, 100
  - VEPs in preterm infants, and core temperature, 257
- Cocaine and the BAEP, 389
- Conduction time, 17
- Cortex
  - enhanced SEPs in cortical myoclonus, 170
  - late wave of BAEP, 367
- Cutaneous and muscle afferents in cortical SEP, 331
- Cystic fibrosis, vitamin E deficiency and EPs, 266
- Dementia, depression and AEPs, 450
- Development
  - auditory steady-state responses in infants, 289
- Digital filters for enhancing BAEPs, 226
- Direct cortical response and ischaemia, 304
- Dopamine
  - ERPs in MPTP-treated monkeys, 461
- Drugs
  - cocaine and the BAEP, 389
  - enhanced SEPs in cortical myoclonus, 170
  - parametric BAEP scale and multiple sclerosis, 33
- Ear
  - BAEPs of newborns, sex and ear differences, 357
- Early components, *see* Short latency components
- Electroconvulsive shock
  - enhanced SEPs in cortical myoclonus, 170
- Electrophysiology
  - late wave of BAEP, 367

## EMG

- BAEP and MRI in facial myokymia, 153

## Epilepsy

- enhanced SEPs in cortical myoclonus, 170

## Ethambutol

- pattern VEPs in ethambutol optic neuropathy, 146

## Etomidate

- enhanced SEPs in cortical myoclonus, 170

## Event-related potentials

- and the menstrual cycle, 157

- in acoustic and semantic processing, 40

- in aging, Alzheimer dementia and depression, 450

- in children, 375

- in Gilles de la Tourette's syndrome, 443

- in MPTP-treated monkeys, 461

- to response production and inhibition stimuli, 55

## Evoked potentials

- auditory, *see* Auditory evoked potentials

- BAEPs, *see* Auditory brain-stem potentials

- cerebral chemosensory evoked potentials, 241

- coordinate system for EP topography, 469

- interweaving and overlapping of EPs, 405

- ischaemia and direct cortical response in primates, 304

- long latency rotational evoked potentials, 251

- noise and signal power in EP measurement, 310

- olfactory, *see* Olfaction

- somatosensory, *see* Somatosensory evoked potentials

- to infraorbital nerve stimulation, 415

- to pattern, *see* Pattern

- visual, *see* Visual evoked potentials

## Facial myokymia and MRI, 153

## Far-field potentials

- far-field P14 in multiple sclerosis, 180

- scalp and spinal SEP and syringomyelia, 400

- stationary potentials and arm position, 348

## First hours of life

- VEPs in preterm infants, and core temperature, 257

## Frontal cortex

- origin of SEP by median nerve stimulation, 125

- topography of early SEPs, 273

## Generators

- contributions from auditory nerve to BAEP, 198

- intracerebral VEPs in awake humans, 89

- origin of frontal SEP by median nerve stimulation, 125

- origin of somatosensory P14, 73

- sequential mapping of Na and Pa MLAEPs, 187

## Gilles de la Tourette's syndrome and auditory ERPs, 443

## Go and no-go stimuli

- ERP to response production and inhibition stimuli, 55

## Height influence on SEPs, 109

## Hemifield and multiple check size VEPs, 1

## Hemiplegia

- topography of SEPs and cerebral lesions, 280

## Hemispheric specialization

- VEPs in a prosopagnosic patient, 10

## Hyperthermia effects on AEPs, 133

Infants, *see* Children

## Infraorbital nerve

- trigeminal neuralgia in skull base tumours, 114

- scalp EPs, 415

## Intracerebral recording

- contributions from auditory nerve to BAEP, 198

- spatial dissociation of colour EPs, 81

## Intracranial and extracranial recordings of MLR, 296

## Ischaemia

- and direct cortical response in primates, 304

- SEPs in experimental thalamic ischaemia, 233

## Lesions

- BAEPs as indicators of early brain insult, 429

- late wave of BAEP, 367

- SEPs with cauda equina injuries, 161

## Lissajous' trajectories of human SEPs, 336

## Long latency components of BAEP, 367

## Lumbo-sacral EPs and cauda equina injuries, 161

## Magnetic resonance imaging in facial myokymia, 153

## Magnetoencephalogram, spatial resolution, 64

Mapping, *see* Topography

## Maturation

- BAEPs as indicators of early brain insult, 429

- SEPs in healthy newborns and infants, 100

## Median nerve

- far-field P14 in multiple sclerosis, 180

- origin of somatosensory P14, 73

- paediatric norms for SEPs, 323

- stationary potentials and arm position, 348

- topography of frontal early SEPs, 273

- topography of SEPs and cerebral lesions, 280

## Menstrual cycle and P300, 157

## Middle-latency response

- auditory steady-state responses in infants, 289

- hyperthermia effects on AEPs, 133

- intracranial and extracranial recordings, 296

- sequential mapping of Na and Pa MLAEPs, 187

## Models

- spatial resolution of MEG, 64

## Monitoring

- intraoperative monitoring of flash VEP, 142

Monkey, *see* Primates

## Motor cortex

- ischaemia and direct cortical response in primates, 304

## Multimodality

- interweaving and overlapping of EPs, 405

## Multiple sclerosis

- BAEP and MRI in facial myokymia, 153

- far-field P14, 180

- parametric BAEP scale, 33

- VEPs in the evaluation of suspected MS, 1

Muscle afferents in cortical SEP, 331

Myoclonus and enhanced SEPs, 170

Myokymia

- BAEP and MRI in facial myokymia, 153

Neonates

- BAEPs as indicators of early brain insult, 429
- BAEPs of newborns, sex and ear differences, 357
- SEPs in healthy newborns and infants, 100
- *see also* Prematures

Neuralgia

- trigeminal neuralgia and EPs in skull base tumours, 114

Neurological disorders

- Alzheimer dementia and depression, 450
- cauda equina injuries, 161
- early brain insult, 429
- facial myokymia, 153
- Gilles de la Tourette's syndrome, 443
- hemiplegia, 280
- multiple sclerosis, *see* Multiple sclerosis
- trigeminal neuralgia in skull base tumours, 114
- *see also* Ischaemia

Neurotoxicity of drugs

- pattern VEPs in ethambutol optic neuropathy, 146

Normative data

- BAEPs of newborns, sex and ear differences, 357
- paediatric norms for median nerve SEPs, 323
- scalp EPs to infraorbital nerve stimulation, 415
- somatosensory central conduction time, 17

N100

- effect of reference point on VEP, 319

Oddball paradigm

- ERPs in Gilles de la Tourette's syndrome, 443
- ERPs in MPTP-treated monkeys, 461

Old age, *see* Aging

Olfaction

- cerebral chemosensory evoked potentials, 241

Oral contraceptive

- P300 and the menstrual cycle, 157

Pain

- cerebral chemosensory evoked potentials, 241

Parkinsonism

- ERPs in MPTP-treated monkeys, 461

Pattern VEPs

- hemifield and multiple check size VEPs, 1
- in ethambutol optic neuropathy, 146
- in the evaluation of suspected multiple sclerosis, 1

Peak identification using dynamic time warping, 212

Preterm infants

- BAEPs as indicators of early brain insult, 429
- VEPs and core temperature, 257

Primates

- ERPs in MPTP-treated monkeys, 461
- ischaemia and direct cortical response, 304

Prosopagnosia and VEPs, 10

P100

- effect of reference point on VEP, 319
- VEPs in a prosopagnosic patient, 10
- weighted quadratic regression of P100 on age, 150

P300

- and the menstrual cycle, 157
- in aging, Alzheimer dementia and depression, 450
- in a prosopagnosic patient, 10
- in children, 375
- in MPTP-treated monkeys, 461
- to response production and inhibition stimuli, 55

Reference point effect on VEP, 319

Rotational stimulation and long latency EPs, 251

Scalp

- coordinate system for EP topography, 469
- EPs to infraorbital nerve stimulation, 415
- SEPs and syringomyelia, 400
- SEPs to lower extremity stimulation, 422

Semantic processing and ERP topography, 40

Senility, *see* Aging

Sensory convergence and cortical SEP, 331

Sensory evoked potentials, *see* Evoked potentials

Sex differences

- and click polarity in BAEP, 77
- auditory ERP in children, 375
- BAEPs of newborns, 357
- height, age, and SEPs, 109

Short latency components

- scalp EPs to infraorbital nerve stimulation, 415
- topography of frontal early SEPs, 273
- topography of SEPs and cerebral lesions, 280

Signal-to-noise ratio in EP measurement, 310

Skull base tumours and trigeminal neuralgia, 114

Somatosensory evoked potentials

- and cerebral lesions, 280
- and syringomyelia, 400
- central conduction time, 17
- cutaneous and muscle afferents, 331
- enhanced SEPs in cortical myoclonus, 170
- far-field P14 in multiple sclerosis, 180
- in experimental thalamic ischaemia, 233
- in synaptic lesion model: barbiturates, 382
- in vitamin E deficiency with cystic fibrosis, 266
- to lower extremity stimulation, 422
- stationary potentials and arm position, 348
- three-dimensional human SEPs, 336
- paediatric norms for median nerve SEPs, 323
- with cauda equina injuries, 161
- topography, 273, 280
- origin of frontal SEP by median nerve stimulation, 125
- trigeminal neuralgia and skull base tumours, 114
- influence of height, age and gender, 109
- in healthy newborns and infants, 100
- origin of somatosensory P14, 73

Spatial distribution, *see* Topography

Spatial resolution of MEG, 64

Spinal

- SEPs and syringomyelia, 400
- SEPs with cauda equina injuries, 161

Spinocerebellar syndrome

- EPs in vitamin E deficiency with cystic fibrosis, 266

Stationary potentials and arm position, 348

Steady-state auditory response in infants, 289

Synaptic transmission

- BAEP and SEP in synaptic lesion model: barbiturates, 382

Syringomyelia and SEPs, 400

Technique

- coordinate system for EP topography, 469
- digital filters for enhancing BAEPs, 226

Temperature

- VEPs in preterm infants, and core temperature, 257

Temporo-spatial organization

- sequential mapping of Na and Pa MLAEPs, 187

Thalamus

- topography of SEPs and cerebral lesions, 280
- SEPs in experimental thalamic ischaemia, 233

Time warping technique and BAEP evaluation, 212

Topography

- of SEPs and cerebral lesions, 280
- of frontal early SEPs, 273
- spatial dissociation of colour EPs, 81
- of EPs in acoustic and semantic processing, 40
- coordinate system for EP topography, 469
- sequential mapping of Na and Pa MLAEPs, 187

Trigeminal

- infraorbital nerve SEPs, 415
- neuralgia and EPs in skull base tumours, 114

Tumours

- topography of SEPs and cerebral lesions, 280
- EPs in skull base tumours, 114

Ultrasonography

- BAEPs as indicators of early brain insult, 429

Vestibular syndrome

- long-latency rotational evoked potentials, 251

Vision

- spatial dissociation of colour EPs, 81

Visual evoked potentials

- effect of reference point, 319
- enhanced SEPs in cortical myoclonus, 170
- far-field P14 in multiple sclerosis, 180
- frontal early SEP topography, 273
- hemifield and multiple check size VEPs, 1
- in a prosopagnosic patient, 10
- in ethambutol optic neuropathy, 146
- in preterm infants, and core temperature, 257
- in the evaluation of suspected multiple sclerosis, 1
- intracerebral VEPs in awake humans, 89
- intraoperative monitoring of flash VEP, 142
- in vitamin E deficiency with cystic fibrosis, 266
- noise and signal power in EP measurement, 310
- spatial dissociation of colour EPs, 81
- weighted quadratic regression of P100 on age, 150
- *see also* Pattern

Visual impairment in ethambutol optic neuropathy, 146

Visual noise

- ERP to response production and inhibition stimuli, 55

Visual pathways

- intraoperative monitoring of flash VEP, 142

Vitamins

- EPs in vitamin E deficiency with cystic fibrosis, 266